




Dakota **SI 05** 200x1200 / 8"x48" NAT RECT

SIGNATURE

NUANCES, GNARLS and TACTILE touch of wood floors combined with excellent technical features.

Signature does not require any special treatment during and after installation: functionality and reliability in a single product.



Havana **SI 04** 200x1200 / 8"x48" NAT RECT



Artico **SI 01** 200x1200 / 8"x48" NAT RECT

COLORI

Colours | Farben | Couleurs | Colores | Цветов | 种颜色



Artico
SI 01



Magnolia
SI 02



Alpine
SI 03



Havana
SI 04







Dakota
SI 05

COLORI

Colours | Farben | Couleurs | Colores | Цветов | 种颜色

ARTICO SI 01







	Formati Nominali Nominal Sizes 200x1200 / 8"x48"		Superficie Finish NAT RECT		Spessore mm Thickness mm 9
	Stucchi consigliati Recommended grouts				
	KERAKOLL		06		
	MAPEI		110 Manhattan		
	LATICRETE		89 Smoke Grey		



HAVANA SI 04







	Formati Nominali Nominal Sizes 200x1200 / 8"x48"		Superficie Finish NAT RECT		Spessore mm Thickness mm 9
	Stucchi consigliati Recommended grouts				
	KERAKOLL		08		
	MAPEI		112 Grigio Medio		
	LATICRETE		78 Sterling Silver		



MAGNOLIA SI 02







	Formati Nominali Nominal Sizes 200x1200 / 8"x48"		Superficie Finish NAT RECT		Spessore mm Thickness mm 9
	Stucchi consigliati Recommended grouts				
	KERAKOLL		07		
	MAPEI		111 Grigio Argento		
	LATICRETE		88 Silver Shadow		



DAKOTA SI 05







	Formati Nominali Nominal Sizes 200x1200 / 8"x48"		Superficie Finish NAT RECT		Spessore mm Thickness mm 9
	Stucchi consigliati Recommended grouts				
	KERAKOLL		11		
	MAPEI		114 Antracite		
	LATICRETE		45 Raven		



ALPINE SI 03



	Formati Nominali Nominal Sizes 200x1200 / 8"x48"		Superficie Finish NAT RECT		Spessore mm Thickness mm 9
	Stucchi consigliati Recommended grouts				
	KERAKOLL		06		
	MAPEI		110 Manhattan		
	LATICRETE		89 Smoke Grey		



MY NOTES

.....

.....

.....

.....













.....

 **Maggiori informazioni**
More information













RIASSUNTIVO FORMATI ED IMBALLI

Summary of sizes and packaging | Übersicht über Formate und Verpackungen | Récapitulatif formats et emballages
Sinóptico de formatos y embalajes | Краткая информация о форматах и упаковках | 规格和包装概述

		9 mm
	Formati Nominali Nominal Sizes	200x1200 8"x48"
Tutti i formati sono rettificati. All sizes are rectified.		
	Superficie Finish	NAT
	ARTICO SI 01	V2 ■
	MAGNOLIA SI 02	V2 ■
	ALPINE SI 03	V2 ■
	HAVANA SI 04	V2 ■
	DAKOTA SI 05	V2 ■
	Peso lordo per scatola Gross weight per box	30,92
	Pezzi per scatola Pieces for box	6
	mq. scatola sqm. box	1,44
	Scatole / Full pallet boxes / Full pallet	32
	mq. pallet sqm. pallet	46,08

PEZZI SPECIALI

Special pieces | Sonderstücke | Pièces spéciales | Piezas especiales | специальные изделия | 特殊件


			
	Battiscopa*	Gradino A*	
	Pezzi speciali Special pieces	72x600 27 1/8"x24"	330x1200 13 1/8"x48"
	Superficie Finish	NAT	NAT
	ARTICO SI 01	■	■
	MAGNOLIA SI 02	■	■
	ALPINE SI 03	■	■
	HAVANA SI 04	■	■
	DAKOTA SI 05	■	■
	Pezzi per scatola Pieces for box	10	4

* **Finitura a becco di civetta** | One-round edge shaping | Ausführung mit Eckabrundung | Façonnage à bord rond | Acabado canto gomo | Плитка с завалом | 鹰嘴边缘处理

DECORI

Decors | Dekore | Decors | Decoros | Декоры | 装饰砖

 **Mattoncino NAT**
300x300 / 12"x12"
Tessere 24x48 / 1"x2"



ARTICO SI 01




MAGNOLIA SI 02




ALPINE SI 03



HAVANA SI 04



DAKOTA SI 05


 **Stick NAT**
300x600 / 12"x24"
Tessere 10x600 / 3/8"x24"



ARTICO SI 01




MAGNOLIA SI 02



ALPINE SI 03



HAVANA SI 04



DAKOTA SI 05

	Pezzi per scatola Pieces for box	
	Mattoncino	6
	Stick	2



FLOOR and WALL: Havana SI 04 200x1200 / 8"x48" NAT RECT

CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques | Características técnicas | Технические характеристики | 技术特征

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТНОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			NAT
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 侧边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	SPESSORE THICKNESS - DICKE EPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	±9 mm: S≥2.400N R≥48N/mm² ±20 mm: S≥12.500N R≥48N/mm²
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCS - RESISTENCIA A LOS GOLPES УДАРСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	RESISTENZA ALL'ABRAZIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	-	α=7,3x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCS THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学作用	EN ISO 10545-13	B MIN.	A LA HA
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
				NAT
		DM 236/89 BCRA	> 0,40	> 0,40
		ANSI A326.3	Wet and Dry	≥ 0,42
		AS 4586	-	-
		DIN 51130	-	R9
		DIN 51097	-	-
		UNE 41901	≥ CL1	CL1
		BS 7976 sl.96-4S	Wet and Dry	-
		BS 7976 sl.55-TRL	Wet and Dry	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SpA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SpA
Para los certificados específicos, contactar Mirage SpA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage SpA公司