

# NEPHELO



## **NEPHELO METALLO**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.





**NEPELO METALLO**  
FLOOR: 600X600mm



NEPHELO METALLO  
FLOOR: 600X600mm



## **NEPHELO NERO**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.





NEPHELO NERO  
FLOOR: 600X600mm





## **NEPHELO PALE**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



NEPHELO PALE  
FLOOR: 600X600mm



**NEPHELO PALE**  
FLOOR: 600X600mm



## **NEPHELO SECONDO**


Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.

NEPELO SECONDO  
FLOOR: 600X600mm





**SURFACE**



LAPATO (S)



GRANIGLIA (FINE GRAINED) (G)



MATT (M)

**CORE TECHNOLOGY**



**Micro-Engraving Technology** - Represent the lively texture of rocks. Originated from Italy design, Italy Rock series has adopted the micro-engraving technology to represent the texture effect on the surface of the tiles, lively as natural rock.



**Numerous surface in One Rock** - Heighten the natural effect with multiple layouts. Italy Rock series has adopted multi-edition positional output technology to guarantee numerous layouts in every product and used various compound techniques to produce multiple surface effect, heighten the nature effect after installing.



**Three-Dimensional Inkjet Technology** - Reproduce Nature color. Using the advanced inkjet equipment and glaze technology to extend the color gamut, the natural color of Rock has been reproduced in Nanogress Italy Rock series.



**High Definition Effect** - Reproduce a real rock. Italy Rock, originated from Italy as its name suggests, realistically reproduces the natural landscape of rock in Italy with its vivid and multiple surface.

■ **SIZE** (mm)

**NEPHELO METALLO**



600X600 24'X24'

**NEPHELO NERO**



600X600 24'X24'

**NEPHELO PALE**




600X600 24'X24'


**NEPHELO SECONDO**




600X600 24'X24'




MA1  
300X300mm




MA2  
300X300mm




MA3  
300X300mm




MA5  
326X316mm




MA16S  
330X305mm




MA17  
320X330mm




MA18  
330X330mm




MA19  
300X300mm




MA6  
330X305mm




MA7  
350X305mm




MA8  
390X310mm




MA9  
300X300mm




MA20  
290X290mm




MA21  
280X280mm




MAT1  
285X285mm




MG5  
325X315mm




MA10  
810X275mm




MA11  
338X335mm




MA12  
300X300mm




ML10  
316X300mm




ML12  
300X300mm




LISTELLO FXB3611  
365X113mm




CORNER FXB1814  
180X140mm




MA13  
250X250mm




MA14  
305X300mm




MA15  
320X300mm




MA16H  
330X305mm




LISTELLO FXB1516  
565X167mm



CORNER FXA1623  
166X230mm



OUTSIDE CORNER T3010  
300X100mm  
OUTSIDE CORNER T306  
300X60mm



INSIDER CORNER N3010  
300X100mm  
INSIDER CORNER N306  
300X60mm

## TECHNICAL SPECIFICATION

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	NANOGRESS STANDARD
	SIZES	ISO 10545.2	LENGTH AND WIDTH THICKNESS EDGE CURVATURE CENTER CURVATURE WARPAGE ± 0,6% ± 5% ± 0,5% ± 0,6% ± 0,5%	± 0,2% ± 2% ± 0,2% ± 0,2% ± 0,2%
	WATER ABSORPTION	ISO 10545.3	R <sub>600</sub> %	0,03%
	STRENGTH	ISO 10545.4	MODULUS OF RUPTURE BREAKING STRENGTH R <sub>235</sub> /MM <sup>2</sup> S <sub>2</sub> ≥ 1300N	55N/MM <sup>2</sup> >1700N
	SURFACE ABRASION	ISO 10545.7	ACCORDING TO MANUFACTURER'S DATA	MIN PE13
	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545.8	TEST METHOD AVAILABLE	6,5X10 <sup>-6</sup> °C <sup>-1</sup>
	RESISTANCE OF THERMAL SHOCK	ISO 10545.9	TEST METHOD AVAILABLE	GUARANTEED
	FROST RESISTANCE	ISO 10545.12	REQUIRED	REQUIRED
	CHEMICAL RESISTANCE	ISO 10545.13	MANUF. TO STATE	MANUF. TO STATE
	STAIN RESISTANCE	ISO 10545.14	CLASS 3 MIN	CLASS 3 MIN

## PACKING DETAILS

SIZE (mm)	PCS/BOX	M/BOX	KGS/BOX	BOXES/PALLET	PCS/PALLET	M/PALLET	KGS/PALLET	BOXES/CNT	M/CNT	KGS/CNT
100X100 9,4mm	10	1,25	32,10	36	360	48,60	1156	828	1117,80	26579
200X200 9,4mm	9	1,62	36,36	40	360	64,80	1540	700	1134,00	26950
300X300 12,0mm	4	1,08	27,50	56	224	60,48	1540	952	1028,16	26180
400X400 14,0mm	3	1,62	38,50	40	120	64,80	1540	700	1134,00	26950
600X600 16,0mm	2	1,62	42	38	76	61,56	1596	608	984,96	25526
800X800 16,0mm	4	1,62	43	44	176	71,28	1892	616	997,92	26488
1000X1000 16,0mm	11	0,99	22,50	54	594	53,46	1215	1188	1176,12	26730
300X300 12,0mm	11	0,99	22,50	54	594	53,46	1215	1188	1176,12	26730
300X300 12,0mm	8	1,44	32,50	48	320	57,60	1300	820	1180,80	26880
600X600 16,0mm	4	1,44	32,50	48	180	57,60	1300	820	1180,80	26880
800X1200 16,0mm	2	1,44	41,50	52	104	74,88	2184	835	914,40	26070
900X1800 16,0mm	2	3,24	62,00	30	60	97,20	1890	420	1360,80	26460

The above info is for reference only

**NANOGRESS®**  
Porcellanato



www.nanogress.com



Il Molto Giorno

@nanogressporcellanato

@nanogress



general@nanogress.com