




DISENGAGE

TRAVELED THROUTH ITALY,

Our footprints were left, while inspiration come back with us.

SEVEN LOCATIONS,

Seven differentiated feelings and experience.





DISENGAGED

Origin: Napoli, Italy

Design philosophy: The idea comes from the days lived in Napoli. Put the romantic colors and disengaged texture together; Perfectly present the neutral grey by adjusting a variety of colors; The control of neutral grey is the most challenging in the tiles production.

Napoli

A little boy of the Napoli reminded us,
Asking for freedom is nature, feeling
freedom is instinct
let go any limitation
To be the most unrestrained of yourself
Enjoy the disengaged of Napoli





Napoli

There is a worry all the time
when walking in Napoli
worry the madness of
Gomorra is coming

We get nervous because
hearing of the well-known
Mafia

But the city felt
disengaged (Chaos, disorder,
freedom)



DISENGAGED

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



DIENGAGED

FLOOR: 600X900mm
300X600mm

EARTH COLORS

WALL: 300X600mm
LISTELLO: DIENGAGED-D-FXA1516
CORNER: DIENGAGED-D-FXA1623



DIENGAGED

FLOOR: 600X900mm
300X600mm

EARTH COLORS

WALL: 300X600mm
LISTELLO: DIENGAGED-D-FXA1516
CORNER: DIENGAGED-D-FXA1623



DIENGAGED
FLOOR: 300X900mm
WALL: 200X900mm
MOSAIC: DIENGAGED-D-MA15
DIENGAGED-D-MA14



DIENGAGED
FLOOR: 600X600mm



DIENGAGED
FLOOR: 300X900mm
MOSAIC: DIENGAGED-D-MA7



DIENGAGED
FLOOR: 300X600mm
600X600mm



DIENGAGED
FLOOR: 300X600mm




DIENGAGED
FLOOR: 300X900mm
600X900mm
MOSAIC: DIENGAGED-D-MA12



DIENGAGED
FLOOR: 300X600mm
600X600mm



DIENGAGED
FLOOR: 200X600mm
WALL: 600X600mm



SURFACE



LAPATO (S)



GRANIGLIA (FINE GRAINED) (G)



MATT (M)

CORE TECHNOLOGY



Micro-Engraving Technology- Represent the lively texture of rocks
Originated from Italy design , Italy Rock series has adapted the micro-engraving technology to represent the texture effect on the surface of the tiles, lively as natural rock.



Numerous surface in One Rock -Heighten the natural effect with multiple layouts
Italy Rock series has adopted multi-edition positional output technology to guarantee numerous layouts in every product and used various compound techniques to produce multiple surface effect, heighten the natura effect after installing.



Three-Dimensional Inkjet Technology - Reproduce Nature color
Using the advanced inkjet equipment and glaze technology to extend the color gamut, the natural color of Rock has been reproduced in Nanogress Italy Rock series..



High Definition Effect -Reproduce a real rock
Italy Rock, originated from Italy as its name suggests, realistically reproduces the natural landscape of rock in Italy with its vivid and multiple surface.

■ SIZE (mm)

DIENGAGED



600X900 24'X36'



200X900 8'X36'




600X600 24'X24'



300X600 12'X24'

DIENGAGED












DIENGAGED-DG
MA1N / 300x300













DIENGAGED-DG
MA6 / 330x305

TECHNICAL SPECIFICATION

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	NANOGRESS STANDARD
	SIZES	ISO 10545.2	LENGTH AND WIDTH THICKNESS EDGE CURVATURE CENTER CURVATURE WARPAGE ± 0.4% ± 5% ± 0.5% ± 0.6% ± 0.5%	± 0.2% ± 2% ± 0.2% ± 0.2% ± 0.2%
	WATER ABSORPTION	ISO 10545.3	≤ 0.5%	0.03%
	STRENGTH	ISO 10545.4	MODULUS OF RUPTURE BREAKING STRENGTH R ≥ 35 / MM ² S ≥ 1300 N	55 N / MM ² > 1700 N
	SURFACE ABRASION	ISO 10545.7	ACCORDING TO MANUFACTURER'S DATA	MIN PEI 3
	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545.8	TEST METHOD AVAILABLE	6.5X10 ⁻⁶ °C ⁻¹
	RESISTANCE OF THERMAL SHOCK	ISO 10545.9	TEST METHOD AVAILABLE	GUARANTEED
	FROST RESISTANCE	ISO 10545.12	REQUIRED	REQUIRED
	CHEMICAL RESISTANCE	ISO 10545.13	MANUF. TO STATE	MANUF. TO STATE
	STAIN RESISTANCE	ISO 10545.14	CLASS 3 MIN	CLASS 3 MIN

PACKING DETAILS

SIZE (mm)	PCS/BOX	M/BOX	KGS/BOX	BOXES/PALLET	PCS/PALLET	M/PALLET	KGS/PALLET	BOXES/CNT	M/CNT	KGS/CNT
										
150X300 6/100	10	1.35	32.10	36	360	48.60	1156	828	1117.80	26579
200X300 6/100	9	1.62	36.90	40	360	64.80	1540	700	1134.00	26950
300X300 12/100	4	1.08	27.50	56	224	60.48	1540	952	1028.16	26188
600X300 36/100	3	1.62	36.50	40	120	64.80	1540	700	1134.00	26950
600X300 36/100	2	1.62	42	38	76	61.56	1596	608	984.96	25526
600X450 36/100	4	1.62	43	44	176	71.28	1892	616	997.92	26488
150X600 6/100	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X300 12/100	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X600 12/100	8	1.44	32.50	48	320	57.60	1300	820	1180.80	26880
600X600 36/100	4	1.44	32.50	48	180	57.60	1300	820	1180.80	26880
600X1200 36/100	2	1.44	41.50	52	104	74.88	2184	835	914.40	26070
600X1800 36/100	2	3.24	62.00	30	60	97.20	1890	420	1360.80	26460



The above info is for reference only



www.nanogress.com



Il Molto Giorno



general@nanogress.com