

# 600x1200mm GLAZED VITRIFIED TILES







ceramic blends
with innovation,
innovation in
ceramic happens.

We have specialisation in manufacturing high-quality VITRIFIED and WALL TILES for every possible Architectural, Residential and Commercial use.

Colortile is one of the leading manufacturers of GVT, PGVT and Ceramic Body Tiles in India. For over a decade now, Colortile has been innovating and manufacturing Floor and Wall Tiles with an aim to excel in the tile field and also to satisfy its ever-increasing client base.

We have installed a production capacity of over 22 Million square meters per annum, spread over 3 manufacturing units at Morbi, Gujarat, India. Our factories are well-equipped with state-of-the-art technology and modernised laboratories to keep us ahead of the curve.

#### Mission

We manufacture wall and floor tiles that rank high on quality and aesthetic value irrespective of the place where they are applied. We are the first choice of residential, commercial and public buildings for indoor and outdoor applications. We forge a long-term partnership with all our clients by providing them excellent service. We keep our ears close to the ground to satisfy the needs of an evolving market.

### Vision


Always putting the bar high and the dream to achieve them with all the dynamism in designs, we have invested in the latest technology to make COLORTILE a top-notch brand in the tile world. We, at COLORTILE family promise ourselves to grow, innovate and maintain the quality forever.

# Inspiration



The perfect marriage between the natural beauty of the Earth and technologically advanced creations of ceramic to build a space with modern aesthetics.

# Innovation




**GLAZED VITRIFIED TILES** 

## **Inspired from** the beauty and natural stone around the world.

decor conscious by the day. A home is no more a necessity but it is a reflection of one's status, personality & taste. of Glazed Vitrified Tiles in an extensive array of exclusive Therefore, the demand for premium quality vitrified tiles with beautiful designs and perfect craftsmanship has increased distribution network. by leaps & bounds. COLORTILE presents a unique collection

The Indian consumer is becoming more and more design & of Glazed Vitrified Tiles to fulfill the ever-expanding needs and expectations of the Indian consumer. COLORTILE range designs in the 600x1200mm size available through a wide

#### GLAZED **VITRIFIED TILES**



600x1200mm







### Application Areas





Hotel, Restaurant & Cafe

















Building





000 Industry



Spa and Wellness Centres



Technical Specification







Easy to Impact Resistance



Frost Resistance



Low Water Absorption



Dimensional Stability



Resistance



Chemical Resistance



Easy Installation



Thermal Shock Resistance

W.

Crazing Resistance




## GLAZED VITRIFIED TILES

### 600x1200mm

The 600x1200mm tiles are designed keeping in mind the modern architectural style. They are a great option to achieve a spacious look for a place. Their timeless designs create a welcoming aura with an eye-pleasing interior.






#### Finish

- GLOSSY RUSTIC MATT












#### FLOOR

Onyx Pink Crush | Size - 600x1200mm | Finish - Glossy








- GLOSSY RUSTIC MATT



Onyx Sea Blue







#### WALL

Onyx Sea Blue | Size - 600x1200mm | Finish - Glossy


#### FLOOR

Onyx Sea Blue | Size - 600x1200mm | Finish - Glossy






- Finish - GLOSSY - RUSTIC MATT



4 - R



WALL


Onyx Sunspot | Size - 600x1200mm | Finish - Glossy

FLOOR

Rapido Gris | Size - 600x1200mm | Finish - Rustic Matt








- GLOSSY RUSTIC MATT











#### WALL

Onyx Verde | Size - 600x1200mm | Finish - Glossy

#### FLOOR

Onyx Verde | Size - 600x1200mm | Finish - Glossy





Finish


- GLOSSY







6 - R



WALL


Calacatta Gold | Size - 600x1200mm | Finish - Glossy

FLOOR

Harmony Gris | Size -600x1200mm | Finish - Glossy







- GLOSSY











#### WALL

Saran Collin Camel | Size - 600x1200mm | Finish - Glossy

#### FLOOR

Saran Collin Camel | Size - 600x1200mm | Finish - Glossy






600x1200mm

Finish

- GLOSSY










#### FLOOR

Saran Collin Gris | Size - 600x1200mm | Finish - Glossy





#### Finish

- GLOSSY - RUSTIC CARVING










#### WALL

Hordix Silver | Size - 600x1200mm | Finish - Glossy

#### FLOOR

Historic Kiwi | Size - 195x1200mm | Finish - Spread Sparkle Hordix Silver | Size - 600x1200mm | Finish - Glossy





## Finish

- GLOSSY - RUSTIC CARVING









WALL

Hordix Silver | Size - 600x1200mm | Finish - Glossy

FLOOR

Hordix Gris | Size - 600x1200mm | Finish - Glossy





#### Finish

- GLOSSY RUSTIC CARVING










#### FLOOR

Hordix Pearl | Size - 600x1200mm | Finish - Glossy






- GLOSSY RUSTIC CARVING










WALL

Hordix Camel | Size - 600x1200mm | Finish - Glossy

FLOOR

Hordix Camel | Size - 600x1200mm | Finish - Glossy






#### Finish

- GLOSSY RUSTIC CARVING



6 - R








WALL

Lilac Purple | Size - 600x1200mm | Finish - Glossy

FLOOR

Parker Gris | Size - 600x600mm | Finish - Relief Matt





#### Finish

- GLOSSY RUSTIC CARVING









WALL

Rapido Pearl | Size - 600x1200mm | Finish - Rustic Matt

FLOOR

Monolith Creamy Crust | Size - 600x1200mm | Finish - Glossy





#### Finish

- GLOSSY RUSTIC CARVING











#### WALL

Monolith Stone Age | Size - 600x1200mm | Finish - Glossy Rapido Bianco | Size - 600x1200mm | Finish - Rustic Matt

#### FLOOR

Monolith Stone Age | Size - 600x1200mm | Finish - Glossy






Finish

- HIGH GLOSS









#### FLOOR

Marca Coal | Size - 600x1200mm | Finish - High Gloss






600x1200mm

Finish

- HIGH GLOSS









WALL

Marca Caramel | Size - 600x1200mm | Finish - High Gloss

FLOOR

Armani Gris | Size - 600x1200mm | Finish - High Gloss








#### Finish

- HIGH GLOSS










WALL

Marca Scarlet | Size - 600x1200mm | Finish - High Gloss

FLOOR

Rapido Gris | Size - 600x1200mm | Finish - Rustic Matt






Finish

- HIGH GLOSS









WALL


FLOOR

Marca Indigo | Size - 600x1200mm | Finish - High Gloss

Armani Nero | Size - 600x1200mm | Finish - High Gloss








- RUSTIC MATT GLOSSY











#### WALL


Onyx Pink Crush | Size - 600x1200mm | Finish - Rustic Matt

#### FLOOR

Onyx Pink Crush | Size - 600x1200mm | Finish - Rustic Matt








- RUSTIC MATT GLOSSY











WALL


Onyx Sea Blue | Size - 600x1200mm | Finish - Rustic Matt

FLOOR

Onyx Sea Blue | Size - 600x1200mm | Finish - Rustic Matt







- RUSTIC MATT GLOSSY











WALL


Onyx Sunspot | Size - 600x1200mm | Finish - Rustic Matt

FLOOR

Onyx Sunspot | Size - 600x1200mm | Finish - Rustic Matt








- RUSTIC MATT - GLOSSY











#### FLOOR

Onyx Verde | Size - 600x1200mm | Finish - Rustic Matt








#### Finish

#### - RUSTIC CARVING









#### FLOOR

Statuario Magma | Size - 600x1200mm | Finish - Rustic Carving





600x1200mm


#### Finish

- RUSTIC CARVING GLOSSY



Monolith Creamy Crust





WALL


Monolith Creamy Crust | Size - 600x1200mm | Finish - Rustic Carving

FLOOR

Rapido Gris | Size - 600x1200mm | Finish - Rustic Matt








Monolith Stone Age

6 - R






#### FLOOR











#### - RUSTIC CARVING



Monolith Deep Dig





#### FLOOR

Monolith Deep Dig | Size - 600x1200mm | Finish - Rustic Carving





600x1200mm

#### Finish

- RUSTIC CARVING GLOSSY









#### FLOOR

Hordix Silver | Size - 600x1200mm | Finish - Rustic Carving





#### Finish

- RUSTIC CARVING GLOSSY









WALL

Hordix Silver | Size - 600x1200mm | Finish - Rustic Carving

FLOOR

Hordix Gris | Size - 600x1200mm | Finish - Rustic Carving





600x1200mm

#### Finish

- RUSTIC CARVING GLOSSY











#### FLOOR

Hordix Pearl | Size - 600x1200mm | Finish - Rustic Carving





#### Finish

- RUSTIC CARVING GLOSSY












WALL

Hordix Camel | Size - 600x1200mm | Finish - Rustic Carving

FLOOR

Hordix Pearl | Size - 600x1200mm | Finish - Rustic Carving






- RUSTIC CARVING - GLOSSY









WALL


Lilac Purple | Size - 600x1200mm | Finish - Rustic Carving

FLOOR

Rapido Bianco | Size - 600x1200mm | Finish - Rustic Matt







- RUSTIC CARVING HIGH GLOSS









WALL


Aristo Rosso | Size - 600x1200mm | Finish - Rustic Carving

FLOOR

Aristo Rosso | Size - 600x1200mm | Finish - Rustic Carving







- RUSTIC CARVING







6 - R




#### FLOOR


Wozti Nut | Size - 600x1200mm | Finish - Rustic Carving








- RUSTIC CARVING



Stone Carv Nero







WALL

Stone Carv Nero | Size - 600x1200mm | Finish - Rustic Carving

FLOOR

Imperia Silver | Size - 600x600mm | Finish - Rustic Matt



Colortile Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb ≤ 0.5%)

Technical Feature	Test	Require	ements	Colortile Values			
recrimical reduire	Method	% mm		%	mm		
A. Dimensions and Surface Quality							
Length and Width		± 0.6%	± 2.0	± 0.20%	± 1.0		
Thickness	UNI EN ISO 10545-2	± 5.0%	± 0.5	± 4.00%	± 0.4		
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0		
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2		
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 0.8 ± 0.8 ± 0.8		
Surface Quality		from visible defects t	the tiles shall be free that would impair the major area of tiles.	Compliant			

#### **B. Physical Properties**

Water Absorption	UNI EN ISO 10545-3	Eb≤ 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb ≤ 0.1% (absorbed water mass)	
Breaking Strength		Min. 1300 N	≥ 1700 N	
Modulus of Rupture	UNI EN ISO 10545-4		² 37 N/mm²	
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant	
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required	6 x 10 <sup>-6</sup> K <sup>-1</sup> max	
Scratch Hardness (Mohs scale)	EN 101	Declared by the producer	3 to 6 Depends on Finish & Color	
Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer	4 Cycle Pass	

#### C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5
Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB	GA
Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be reported	GLA
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible. Prospective customers are advised to inspect a sample of the tile before placing the order. Every effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change/alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature, once tiles are laid.

#### Standard Pallet Packing

Pallet Type	Size	Thickness	pcs / Box	m² / Box	kg / Box	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg (Approx.)	68	97.92 Sq. Mtr.	1100x1100mm
В	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg (Approx.)	26	37.44 Sq. Mtr.	675x1200mm
С	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg (Approx.)	29	41.76 Sq. Mtr.	750x1200mm

#### Euro Pallet Packing

Pallet Type	Size	Thickness	pcs / Box	m² / Box	kg / Box	Box / Pallet	m² / Pallet	Pallet Size	
А	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg (Approx.)	30	43.20 Sq. Mtr.	800x1200mm	

#### Packing Details

Size	Thickness	pcs / Box	m² / Box	kg / Box
600x1200mm	9.0mm (Approx.)	2 pcs	1.44 Sq. Mtr.	29.30 kg (Approx.)



#### Color Granito Pvt. Ltd.

At. Ratavirda Village, Sartanpar Road, Tal. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

Cell: +91 95120 08815

info@colortile.in | www.colortile.in

